



**Barrier Technologies®**  
Your Safety is Our Concern™

# Radiation Protective Eyewear



# 2025

# Your Safety is our Concern™

## Welcome to our 2025 Catalog

As you can see, we have revamped our catalog to make it easier for you to use. We have instituted a new RX reference system which will help you easily identify which RX types can be accommodated by each frame.



Plano



Single Vision



BiFocal



Progressive

Through our dedication to innovation, we have made a significant investment in Free-Form Robotic glass surfacing technology which allows us to provide anti-fatigue Single Vision, high definition Bi-Focal, and personalized Progressive prescription with up to a +4.50 add power.



Our partnership with Corning and their [Med-X®](#) line of 0.75mm Pb protective lenses enables us to offer you, our customer, the clearest vision possible while providing maximum protection. By adding the options for ClearView AR (anti-reflective) and AF (anti-fog) coatings to all of our available styles, our offerings in designs and materials cannot be surpassed.



We invite you explore our catalog to see these innovations and how we continue to set the standard for quality and customer service for Radiation Protective Lead Eyewear.



# Eyewear Collection



## BALORAMA

- Weight: 74 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black



## JACKIE OHH

- Weight: 69 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black



## JUSTIN

- Weight: 65 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black



## NEW WAYFARER

- Weight: 59 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black



# Oakley® Leaded Eyewear



## GASCAN

- O-Matter™ stress-resistant frame material is both lightweight & durable for all-day comfort and protection
- Three-Point Fit holds lenses in precise optical alignment
- Weight: 74 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Polished Black, Matte Black, Multi-Camo



## FUELCELL

- Unobtainium™ sure-grip inset zones provide durability & performance
- O-Matter™ stress-resistant frame material is both lightweight & durable for all-day comfort and protection
- Three-Point Fit holds lenses in precise optical alignment
- Weight: 72 Grams
- Frame Colors: Polished Black, Multi-Camo



## TWOFACE

- Unique pairing of lightweight O-Matter™ upper & high strength Aluminum lower rims
- Lens positioning offers superior comfort, clarity, & razor-sharp vision at every angle
- O-Matter™ stress-resistant frame material is both lightweight & durable for all-day comfort and protection
- Weight: 64 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Polished Black w/Steel Grey, Triple Black



## FIVE SQUARED

- O-Matter™ stress-resistant frame material is both lightweight & durable for all-day comfort and protection
- Three-Point Fit holds lenses in precise optical alignment while eliminating pressure points
- Weight: 58 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Polished Black



# Oakley® Leaded Eyewear



## CROSSLINK XL

- Sleek and modern look matches Oakley performance innovation with a comfortable fit
- Constructed of light weight, durable O-Matter™ material
- Unobtainium™ nosepads and ear socks for enhanced grip
- Weight: 62 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Satin Black, Grey



## JUPITER SQUARED

- True Oakley attitude with refinement
- Unique Oakley Riveting on the temple arm
- O-Matter™ frame ensures comfort during extended procedures
- Unobtainium® nose piece & earsocks for enhanced grip
- Weight: 65 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Colors: Polished Black



## MAINLINK

- Lightweight O-Matter® frame for optimal comfort
- Three-Point fit holds the lenses for precise optical alignment
- Inspired by the Crosslink for enhanced Rxability
- Weight: 66 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Colors: Matte Black



## HOLBROOK RX

- O-Matter™ stress-resistant frame material is both lightweight & durable for all-day comfort and protection
- Three-Point Fit holds lenses in precise optical alignment
- Weight: 65 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Satin Black, Polished Clear

# **COSTA** Leaded Eyewear



## BRINE



- Durable lightweight TR-90 nylon frame construction
- Hydrolite hypoallergenic rubber prevents slippage
- Vented ports promote maximum airflow and reduce fogging
- Fits small to medium faces
- Weight: 56 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black, Tortoise



## BLACKFIN



- Durable lightweight TR-90 nylon frame construction
- Hydrolite hypoallergenic rubber prevents slippage
- Fits medium to large faces
- Weight: 73 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Matte Black



## FANTAIL



- Modified (DBL) eliminates frame resting on face
- Hydrolite hypoallergenic rubber prevents slippage
- Fits medium to large faces
- Weight: 69 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black

# **COSTA** Leaded Eyewear



## DREAM




- Ideal for all Rx types
- Fits large to extra large faces
- Weight: 69 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black



## PERMIT



- Modified (DBL) eliminates frame resting on face
- Hydrolite hypoallergenic rubber prevents slippage
- Vented ports promote maximum airflow and reduce fogging
- Fits medium to large faces
- Weight: 69 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Matte Black



## TUNA ALLEY



- Modified (DBL) eliminates frame resting on face
- Hydrolite hypoallergenic rubber prevents slippage
- Vented ports promote maximum airflow and reduce fogging
- Fits medium to large faces
- Weight: 69 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Matte Black, Tortoise



# Leaded Eyewear

## P-17



- Peak Performance Ballistic Eyewear
- ANSI Z87.1 rated frames
- Innovative design for Unparalleled Protection
- Designed for Superior Protection & Performance
- Weight: 56 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Gloss Black

## GRAVITY



- Peak Performance Ballistic Eyewear
- ANSI Z87.1 rated frames
- Innovative design for Unparalleled Protection
- Designed for Superior Protection & Performance
- Weight: 76 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Matte Black

## BRICK



- Peak Performance Ballistic Eyewear
- ANSI Z87.1 rated frames
- Innovative design for Unparalleled Protection
- Designed for Superior Protection & Performance
- Weight: 56 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Matte Black, Crystal Metallic

## ENZO



- Peak Performance Ballistic Eyewear
- ANSI Z87.1 rated frames
- Innovative design for Unparalleled Protection
- Designed for Superior Protection & Performance
- Weight: 66 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Matte Black



# NIKE Eyewear Collection

## BOOST



- Fabricated from lightweight polycarbonate
- Soft rubber nose pads and temple tips for stability and grip
- Fits medium to large faces
- Weight: 74 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Anthracite

## FUEL



- Bio-injected frame material contains at least 40% castor bean oil
- Soft rubber nose pads and temple tips
- Fits small to medium faces
- Weight: 56 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Black

## PREMIER



- Lightweight nylon frame for comfort, durability
- 6-base frame design for maximum coverage
- Fits medium to large faces
- Weight: 78 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Black, Tortoise

## RABID



- Lightweight frame design provides both maximum coverage & clarity
- Secure wrap temple arms for stability, comfort
- Fits medium to large faces
- Weight: 64 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Black

All Rudy Project frames are entirely designed, engineered, and made in Italy using advanced materials. Rudy Project frames blend cutting-edge ergonomic features with advanced aero spatial materials such as proprietary Kynetium, Grilamid, Titanium & Carbon Fiber to create extremely light-weight versatile and high performance glasses.



## CONTENDER



- Lightweight Titanium & Carbon frame
- Ergonose System for superior fit
- Integrated Side Shields for maximum protection
- Weight: 73 Grams
- Front .75mm Pb Side .5mm Pb Protection
- Frame Colors: Black



## VOLTAGE



- Ultralight Titanium Frame
- Ergonose System for maximum comfort
- Weight: 59 Grams
- Front .75mm Pb Protection
- Frame Colors: Carbon Grey



## SENSOR



- Ultralight Hybrid Titanium & Kynetium frame
- Ergonose System for extraordinary fit
- Ideal for all Rx types
- Weight: 54 Grams
- Front .75mm Pb Protection
- Frame Colors: Carbon Silver

# NEW PRODUCT

## PRIVATE LABEL COLLECTION

### BARRIER BRAZEN



PL-BRAZEN-T

Side Shield Protection



- Universally fitting frame for all face sizes
- Lightweight and stylish design
- Available with side shields
- Ventilated nose bridge for additional comfort
- Weight: 76 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black, Tortoise

*TORTOISE*



*BLACK*



PL-BRAZEN-B



Available Rx's

PL SV BF PG



## VELOCITY



- The unique materials & geometries of this goggle afford the wearer superior splash protection, heat & impact resistance.
- Clear Zone Lens treatments provide an optimal combination of anti-scratch coating on the outside & anti-fog coating on the inside
- Low profile frame maximizes peripheral vision
- Full-perimeter ventilation and filtration minimizes lens fogging



## DET CORD



- Unobtanium® nose piece & ear socks for enhanced grip
- Three-Point Fit holds lenses in precise optical alignment while eliminating pressure points
- Weight: 74 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Matte Black



## GASCAN



- O-Matter™ stress-resistant frame material is both lightweight & durable for all-day comfort and protection
- Three-Point Fit holds lenses in precise optical alignment while eliminating pressure points
- Weight: 74 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Polished Black, Matte Black, Multi-Camo





## ASTRO DLX

**NEW!**

- Enhanced strength and durability
- Wire-core reinforced temple arms
- Flexible nose pads design to fit any facial profile
- Available with side shields
- Weight: 67 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Color: Blue/Black, Black/Black, Red/Black



## BLADE II

- Adjustable nose piece
- Integrated side shields for enhanced lateral protection
- Rx Capable
- Weight: 52 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Black



## SLIM-T

- Precision machined ultralight frame
- Dual hinges for ultimate comfort and flex
- Designed for all face types
- Integrated .5mm Pb side shields
- Weight: 66 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Gun Metal Grey



## MX-30

- Features a super soft fixed rubber nose piece
- Weight: 63 Grams
- Lead equivalent Front Lens: .75 mmPb
- Optional goggle style w/ adj. head strap
- Available with side shields
- Frame Colors: Crimson, Black, Silver, Blue



**NOW AVAILABLE IN GLOBAL FIT**  
Frame Color: Black with Red Accents



## FITOVER

- Perfect to fit over existing personal Rx eyewear
- Goggle design protects from fluid splashes
- Weight: 83 Grams
- Lead equivalent Front Lens: .75 mmPb
- Lead equivalent Side Lens: .5 mmPb:
- Frame Colors: Black, Tortoise



## FITOVER XL

- Designed for larger faces and glasses
- Goggle design protects from fluid splashes
- Weight: 95 Grams
- Lead equivalent Front Lens: .75 mmPb
- Lead equivalent Side Lens: .5 mmPb:
- Frame Colors: Black, Tortoise



## BARRIER LITE™

- Polycarbonate wrap around frame
- Weight: 60 Grams
- Lead equivalent Front Lens: .75 mmPb
- Available with side shields
- Frame Colors: Crimson, Black, Silver



## T-ZONE

- Available in 3 sizes; small, medium, large
- Fits all facial types from small to X-large
- Fashionable wrap around style
- Optional goggle style with adj. head strap
- Weight: 66 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Black, Blue, Red, Silver



## 53 WRAP

- Flexible hinges
- Weight: 87 Grams
- Lead equivalent Front Lens: .75 mmPb
- Lead equivalent Side Lens: .5 mmPb
- Frame Colors: Black Crystal, Tortoise



### BLADE II

- Adjustable nose piece
- Integrated side shields for enhanced lateral protection
- Rx Capable
- Weight: 52 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Black



### CONTENDER



- Lightweight Titanium & Carbon frame
- Ergonose System for superior fit
- Integrated Side Shields for maximum protection
- Weight: 73 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Black, Graphite Red



### SENSOR



- Ultralight Hybrid Titanium & Kynetium frame
- Ergonose System for extraordinary fit
- Ideal for all Rx types
- Weight: 54 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Carbon Silver



### VOLTAGE



- Ultralight Titanium Frame
- Ergonose System for maximum comfort
- Weight: 59 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Carbon Grey





### CROSSLINK XL

- Sleek and modern look matches Oakley performance innovation with a comfortable fit
- Constructed of light weight, durable O-Matter™ material
- Unobtainium™ nosepads and ear socks for enhanced grip
- Weight: 62 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Grey, Satin Black



### MAINLINK

- Lightweight O-Matter® frame for optimal comfort
- Three-Point fit holds the lenses for precise optical alignment
- Integrated Unobtainium for secure grip and fit
- Weight: 66 Grams
- Lead Equivalent Front Lens: .75mm Pb
- Frame Colors: Matte Black



### TWOFACE

- Unique pairing of lightweight O-Matter™ upper & high strength Aluminum lower rims
- Lens positioning offers superior comfort, clarity, & razor-sharp vision at every angle
- O-Matter™ stress-resistant frame material is lightweight & durable for comfort and protection
- Weight: 64 Grams
- Lead equivalent Front Lens: .75 mmPb
- Frame Colors: Steel w/Grey, Polished Black



### MX-30

- Features a super soft fixed rubber nose piece
- Weight: 63 Grams
- Lead equivalent Front Lens: .75 mmPb
- Optional goggle style w/ adj. head strap
- Available with side shields
- Frame Colors: Black & Red



## Fog Free Anti-reflective Coating




### How does **ClearView AR™** work?

As light enters a lens, roughly 85% passes through while the remaining light is reflected off the surface as glare. Glare can be distracting, especially in a healthcare environment where lighting is intense. Realview AR coating will allow 99.5% of light to pass through resulting in superior clarity.

### **ClearView AR™** Benefits

- Improves Your Vision
- Scratch Resistant
- Reduces Fingerprints and Smudging
- Repels Oils
- Easier to Clean



# Leaded Eyewear

## PLEASE NOTE:

In excess of the following powers cannot be manufactured

+/- 8.00 Rx maximum power.











+/- 5.00 Rx power must use a lenticular design.

+/- 4.00 Rx power must include ClearView AR™ anti-reflective coating.

+/- 4.00 Rx maximum power for all Bifocals.

## Rx Limitations

SV Single Vision  
BF Bifocal  
PG Progressive

Frame	Rx Limitations SV or PG	Limitations BF	Available Lens
Astro DLX	+/- 4.00 Total Power	+/- 4.00 Total Power	SV BF PG
Atomic	+/- 6.00 Total Power	+/- 4.00 Total Power	SV BF PG
Barrier Lite	+/- 2.00 Total Power	N/A	SV
Blade II	+/- 6.00 Total Power	+/- 4.00 Total Power	SV BF PG
Brazen 	+/- 3.00 Total Power	+/- 3.00 Total Power	SV BF PG
Brine 	+/- 2.00 Total Power	+/- 2.00 Total Power	SV BF PG
Circuit XL	+/- 8.00 Total Power	+/- 4.00 Total Power	SV BF PG
Crosslink 	+/- 3.00 Total Power	+/- 3.00 Total Power	SV BF PG
Grid II (minimum PD: 31)	+/- 8.00 Total Power	+/- 4.00 Total Power	SV BF PG
Holbrook Rx 	+/- 8.00 Total Power	+/- 4.00 Total Power	SV BF PG
Jupiter Squared 	+/- 4.00 Total Power	+/- 3.00 Total Power	SV BF PG
Justin 	+/- 3.00 Total Power	+/- 3.00 Total Power	SV BF PG
MX-30	+/- 8.00 Total Power	+/- 4.00 Total Power	SV BF PG
New Wayfarer 	+/- 4.00 Total Power	+/- 3.00 Total Power	SV BF PG
Sensor 	+/- 8.00 Total Power	+/- 4.00 Total Power	SV BF PG
TwoFace 	+/- 3.00 Total Power	+/- 3.00 Total Power	SV BF PG
T-Zone	+/- 8.00 Total Power	+/- 4.00 Total Power	SV BF PG
Voltage 	+/- 2.00 Total Power	N/A	SV



**See All of Our Radiation Protection Products at:**  
**[WWW.BARRIERTECHNOLOGIES.COM](http://WWW.BARRIERTECHNOLOGIES.COM)**



**Aprons**



**Leaded Eyewear**



**Gloves**



**Thyroid Collars**



**Mobile Barriers**



**Accessories**



**Secure Shields**



**Dental**



7060 W. STATE ROAD 84, Suite 8, DAVIE, FL 33317

Tel: (800) 353-4350 ■ Fax: (800) 353-4351

Tel: (954) 921-0330 ■ Fax: (954) 921-0331

**[WWW.BARRIERTECHNOLOGIES.COM](http://WWW.BARRIERTECHNOLOGIES.COM)**